

PRINT 
PRINTPLUS FABRICS

Fabrics for Digital Printing

DARE TO
BE YOURSELF

IN DIFFERENT
COLORS

About Us

ALL PRINTPLUS FABRICS UNDERGO STRICT PRODUCTION STAGES AND METICULOUS TESTING

PrintPlus Fabrics are produced specifically for high definition printing. All our fabrics undergo strict production stages and meticulous testing to ensure that all PrintPlus Fabrics are:

- Stable to heat (knitted for utmost stability + pre-shrunk)
- Durable
- Fray resistant (reinforced structures)
- Flame retardant (upon request)
- Brilliant color + maximum resolution print ready
- Bright white for printing and can be dyed in any color upon request with the highest light fastness standards in the industry

Why PrintPlus Fabrics

- PrintPlus Fabrics are designed & manufactured by Elkotb Textiles co. , the biggest warp knitting producer in North Africa since 1972.
- Full range of media digital fabrics solution: Flags, Signage, Garments, Decorations, Upholstery and more.
- We customize our fabric structures and treatments as per your specifications.
- Direct contact with us means more effective business relationship, better flexibility, optimized cost and higher value added.
- Egypt's geographical location.

PrintPlus Fabrics Features

- High resolution and ultimate color brilliance :
 - Dye sublimation ink:
 - Direct
 - Paper Transfer
 - LATEX ink
 - UV curable inks.
- Weight range: 60 to 450 g / sqm
- Width range: 100 to 320 cm
- Flame retardant finishes including M1, B1, BS 5867 and NFPA 701.



PF 04

Surface: Matt

Composition: 100% Polyester

Weight: 110 g/m²

Available Width: 100 to 310 cm

Thickness: 0.029 mm

APPLICATIONS


Flag, Beach Flag

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF 04



PF 02

Surface: Matt

Composition: 100% Polyester

Weight: 80 g/m²

Available Width: 100 to 310 cm

Thickness: 0.031 mm

APPLICATIONS

Flag, Beach Flag

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF 02



PF 10

Surface: Matt

Composition: 100% Polyester

Weight: 95 g/m²

Available Width: 100 to 310 cm

Thickness: 0.029 mm

APPLICATIONS

Flag, Beach Flag

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF 10



PF 07

Surface: Matt

Composition: 100% Polyester

Weight: 100 g/m²

Available Width: 100 to 310 cm

Thickness: 0.027 mm

APPLICATIONS

Flag, Beach Flag

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF 07



PF 14

Surface: Matt

Composition: 100% Polyester

Weight: 105 g/m²

Available Width: 100 to 310 cm

Thickness: 0.029 mm

APPLICATIONS

Flag, Beach Flag

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF 14



PF 15

Surface: Matt

Composition: 100% Polyester

Weight: 105 g/m²

Available Width: 100 to 310 cm

Thickness: 0.03 mm

APPLICATIONS


Flag, Beach Flag

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF 15



Headline

PLACE YOUR TEXT HERE
LOREM IPSUM



DOLOR
AMET
CONCESTRTUR
ADIPISCING
TEMPOR
INCIDIDUNT

LOREM IPSUM



PD 09

Surface: Matt

Composition: 100% Polyester

Weight: 170 g/m²

Available Width: 100 to 310 cm

Thickness: 0.039 mm

APPLICATIONS


Display Systems, Decoration, Tents, Upholstery

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PD 09



PD 12

Surface: Matt

Composition: 100% Polyester

Weight: 250 g/m²

Available Width: 100 to 310 cm

Thickness: 0.046 mm

APPLICATIONS

Display Systems, Decoration, Tents, Upholstery

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PD 12



PD 10

Surface: Matt

Composition: 100% Polyester

Weight: 185 g/m²

Available Width: 100 to 310 cm

Thickness: 0.042 mm

APPLICATIONS


Display Systems, Decoration, Tents, Upholstery

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PD 10



PF PLUS

Surface: Matt

Composition: 100% Polyester

Weight: 220 g/m²

Available Width: 100 to 310 cm

Thickness: 0.044 mm

APPLICATIONS


Display Systems, Decoration, Tents, Upholstery

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF PLUS



PF 09

Surface: Matt

Composition: 100% Polyester

Weight: 175 g/m²

Available Width: 100 to 310 cm

Thickness: 0.038 mm

APPLICATIONS


Display, Heavy Flags

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PF 09



PPS1

Surface: Matt

Composition: 100% Polyester

Weight: 300 g/m²

Available Width: 100 to 300 cm

Thickness: 0.049 mm

APPLICATIONS


Display Systems, Decoration, Tents, Upholstery

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PPS1



PBL03

Surface: Matt

Composition: 100% Polyester

Weight: 200 g/m²

Available Width: 100 to 310 cm

Thickness: 0.046 mm

APPLICATIONS

Display Systems, Decoration, Tents, Upholstery

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PBL03



PPS2

Surface: Matt

Composition: 100% Polyester

Weight: 240 g/m²

Available Width: 100 to 310 cm

Thickness: 0.042 mm

APPLICATIONS


Display, Decorations, Banner, Signs, Table cloth

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PPS2



PBL08 LATEX

Surface: Matt

Composition: 100% Polyester

Weight: 205 g/m²

Available Width: 100 to 310 cm

Thickness: 0.044 mm

APPLICATIONS

Display Systems, Decoration, Tents, Upholstery

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

Certified for
HP Latex Inks

Fabrics for Digital Printing

PBL08 LATEX



PBL 10

Surface: Matt

Composition: 100% Polyester

Weight: 205 g/m²

Available Width: 100 to 310 cm

Thickness: 0.045 mm

APPLICATIONS

Mega Display

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PBL 10

PD 20

Surface: Matt

Composition: 100% Polyester

Weight: 105 g/m²

Available Width: 100 to 310 cm

Thickness: 0.029 mm

APPLICATIONS

Mesh Displays, Exhibitions, Theatre

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PD 20



FRONTLIT

PD 56

Surface: Bright

Composition: 100% Polyester

Weight: 250 g/m²

Available Width: 100 to 310 cm

Thickness: 0.055 mm

APPLICATIONS

Front Lit Systems, Table Cloth, Decorations

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PD 56



PFL 04

Surface: Glossy

Composition: 100% Polyester

Weight: 210 g/m²

Available Width: 100 to 310 cm

Thickness: 0.042 mm

APPLICATIONS

Front Lit Systems, Table Cloth, Decorations

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PFL 04



PFL 03

Surface: Matt

Composition: 100% Polyester

Weight: 170 g/m²

Available Width: 100 to 310 cm

Thickness: 0.042 mm

APPLICATIONS


Front Lit Systems, Table Cloth, Decorations

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PFL 03



PBL 01

Surface: Matt

Composition: 100% Polyester

Weight: 235 g/m²

Available Width: 100 to 310 cm

Thickness: 0.051 mm

APPLICATIONS

Front Lit Systems, Table Cloth, Decorations

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PBL 01



PBL 02

Surface: Matt

Composition: 100% Polyester

Weight: 270 g/m²

Available Width: 100 to 310 cm

Thickness: 0.060 mm

APPLICATIONS


Front Lit Systems, Table Cloth, Decorations

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PBL 02



PBL 04

Surface: Matt

Composition: 100% Polyester

Weight: 175 g/m²

Available Width: 100 to 310 cm

Thickness: 0.041 mm

APPLICATIONS

Front Lit Systems, Table Cloth, Decorations


REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PBL 04





PPTS 08

Surface: Bright

Composition: 100% Polyester

Weight: 240 g/m²

Available Width: 100 to 310 cm

Thickness: 0.039 mm

APPLICATIONS

Back Lit Systems, Front Lit Systems, Display Systems

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PPTS 08



PPTS 09

Surface: Bright

Composition: 100% Polyester

Weight: 290 g/m²

Available Width: 100 to 310 cm

Thickness: 0.045 mm

APPLICATIONS

Back Lit Systems, Front Lit Systems, Display Systems

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PPTS 09



PPTS 16

Surface: Matt

Composition: 100% Polyester

Weight: 305 g/m²

Available Width: 100 to 310 cm

Thickness: 0.067 mm

APPLICATIONS

Back Lit Systems, Front Lit Systems, Display Systems

REMARKS

- Delivered in bright white and can be dyed in any other color with the highest light fastness in the industry
- Fire retardant and water repellent treatments are available upon request

NOTES

PPTS 16



ECO FRIENDLY



**TOP QUALITY
PRINTING FABRIC**



**STRUCTURE
CRINKLE FREE**



UP TO 3 METERS



FABRICS FOR DIGITAL PRINTING

We use the finest eco friendly materials, most advanced machines and state of the art process supported by the most aggressive QA system to produce top quality fabrics for digital printing

Our PrintPlus Fabrics range includes:

- Flag, Display, Front lit, Back lit, Canvas & others
- Weight range: 60 to 450 g / sqm
- Width range: 100 to 300 cm
- Flame retardant certificates including B1 and M1

Additional certifications are available upon request

Visit us at

**FESPA, Booth B100 Hall 6
Hamburg, 8 - 12 May 2017**



PrintPlus Fabrics

13 Dr. M. H. Haikal st.
Nasr City 11371, Cairo, Egypt.

Knitting mill:
ZONE A2 / NO : 9 / 2
10th of Ramadan City, Egypt

Dyehouse:
ZONE B2 / NO : K13 & 14
Misr and Al Sudan St.,
10th of Ramadan City, Egypt

Tel.: (+20100) 1776034

Fax: (+202) 2272 6145

info@[printplusfabrics.com](mailto:info@printplusfabrics.com)

www.printplusfabrics.com